◀ **Google** ▶

Google ▶ | ACM LDAP filter format | | Search | Instant is off ▼

Go gle Checkout ▶

About 8,420 results (0.37 seconds)   Advanced search

Everything

▼ **More**

• **Search near...**

• Enter location | Set |

Show search tools

1. **Partitioning data** access requests - Patent 7340447

   by SP Ghatare - 2008 - Cited by 7 - Related articles
   Mar 4, 2008 ... For each entry in the **data store**, a set of **attributes**
   are stored. ... Some Identity Systems use **LDAP** directories to store
   data. ... The **filter expression** is provided to the one or more data
   sources associated ..... After authenticating the user, Web Gate 28
   queries Access Server 34 about whether the ...
   www.freepatentsonline.com/7340447.html - Cached

2. Efficient retrieval and **storage** of directory information system ...

   by A Keni - 2010 - Related articles
   "Using **LDAP** Directory Caches" Proceedings of the 18th **ACM** ...
   www.freepatentsonline.com/7779022.html - Cached

3. Method for deferred deletion of entries for a directory service ...

   by DW Bachmann - 2007 - Cited by 5 - Related articles
   LDAP provides a number of known functions including **query**
   (search and ...
   www.freepatentsonline.com/7313581.html - Cached

   ⊞Show more results from freepatentsonline.com

4. [PDF] The Lightweight Directory Access Protocol: X.500 Lite

   File Format: PDF/Adobe Acrobat - Quick View
   by TA Howes - 1995 - Cited by 35 - Related articles
   It runs directly over TCP and uses a simplified **data** representation
   for many .... A **filter** specifies the entries within the scope to select.
   The **LDAP** search ..... typical DAP and **LDAP queries**. The tests
   were conducted on a dedicated machine .... defining a URL **format**
   for **LDAP** [3], and a. URL-valued **attribute** for ...
   www.open**ldap**.org/pub/umich/**ldap**.pdf - Similar

5. [PDF] The OpenLDAP Proxy Cache

File Format: PDF/Adobe Acrobat - Quick View

by A Kumar - Cited by 5 - Related articles

LDAP search requests (**queries**). The **LDAP** proxy cache **stores data** and ...

www.open**ldap**.org/pub/kapurva/proxycaching.pdf - Similar

6. [PDF] Design and Implementation of **LDAP** Component Matching for Flexible ...

File Format: PDF/Adobe Acrobat - Quick View

by SS Lim - Cited by 5 - Related articles

order to automatically extract and **store** the certificate components ...

www.open**ldap**.org/pub/slim/CMPaper.pdf - Similar

⊞Show more results from openldap.org

7. [PDF] View or Download - Efficient Cache Answerability for XPath **Queries**

File Format: PDF/Adobe Acrobat - Quick View

by PJ Marrón - Cited by 9 - Related articles

XML **Data** Model: An efficient **storage** and retrieval mechanism for XML. ... XPath **query** can be translated into **LDAP queries** of the form [ML01]: ... combination of atomic **filters** of the form (a op t), where: – a is an **attribute** name; .... swers over semistructured **data**. In Proceedings of the Eighteenth **ACM** SIGACT- ...

citeseerx.ist.psu.edu/viewdoc/download?doi=10.1.1.143.9723...

8. [PDF] Efficient Cache Answerability for XPath **Queries**

File Format: PDF/Adobe Acrobat - Quick View

by PJ Marrón - Cited by 9 - Related articles

element, **attribute** and text nodes. An XPath **Query** QX is formed by the ...

citeseerx.ist.psu.edu/viewdoc/download?doi=10.1.1.144.838&rep...

9. [PDF] Revisiting the Hierarchical **Data** Model

File Format: PDF/Adobe Acrobat

by HV JAGADISH - Cited by 7 - Related articles

partitioning of the data set into subsets (rooted sub- ... from most other ...

citeseerx.ist.psu.edu/viewdoc/download?doi=10.1.1.29...

⊞Show more results from psu.edu

10. [PDF] <u>LDAP Query</u> Access: Limitations and Opportunities

    File Format: PDF/Adobe Acrobat - Quick View

    by B Plale - Related articles

    a security model, an naming model, an interchange **format**, and a
    query access interface. ... Speci cally, **LDAP** uses a hierarchical
    data model of **data storage**. ... having limited functionality force the
    expression of more general **queries** with larger resulting data ... In
    Proceedings **ACM** SIGMOD Conference, 1999. ...
    www.ggf.org/documents/Drafts/.../LDAP%20**Query**%20Access.pdf

11. [PDF] <u>On Processing XML in **LDAP**</u>

    File Format: PDF/Adobe Acrobat - Quick View

    by PJ Marron - 2001 - Cited by 22 - Related articles

    data and **queries**, which will be used in section3 ... database
    available in XML **format** from[14]. In it, we can see that the
    elementcountryhas ... Figure4:**Query** R representation in **LDAP**. The
    detailed list of **attributes** that consti- ... by the **filter expression**. fqL
    is the **filter expression** defined as the boolean ...
    www.vldb.org/conf/2001/P601.pdf

12. <u>Beyond Relational Databases - **ACM** Queue</u>

    by M Seltzer - Cited by 34 - Related articles

    One—the focus of this article—is the need for **data storage** and
    retrieval functions .... Like data warehousing, **LDAP** is characterized
    by read-mostly access. ... based on **attribute** values (find all users in
    the engineering department). .... software architecture, and the
    "natural" data **format** of the application. ...
    queue.**acm**.org/detail.cfm?id=1059807 - Cached - Similar

13. <u>Html - The **ACM** Portal</u>

    by D Jones - 2006

    n"; ##: **Query LDAP** to get a list of employees if($attr ne "none")
    { $mesg ...
    portal.**acm**.org/ft_gateway.cfm?id=1183017&type=html

14. <u>Pdf - Secure and Flexible Certificate Access in WS-Security ...</u>

    by SS Lim - 2004 - Cited by 2 - Related articles

    ACM Workshop on Secure Web Services, October 29,2004, Fairfax
    VA, ...
    portal.**acm**.org/ft_gateway.cfm?id=1111358&type=pdf

⊞Show more results from acm.org

15. LNCS 3347 - A Nested Transaction Model for **LDAP** Transactions

by D Biswas - 2005 - Related articles

implementation of **LDAP** that uses DB2 as the **data store** and **query**
engine to meet the ... Obtain the EIDs matching the search **filter**
from the **attribute** tables. ..... In Proceedings of **ACM**-SIGMOD 1987,
pages 239-- 248. ...
www.springerlink.com/index/q86hc6dvcygga4ey.pdf

16. EDGE CACHING FOR DIRECTORY BASED WEB APPLICATIONS

by A Kumar - 2004 - Cited by 2 - Related articles
An **LDAP query filter** F1 is semantically contained in another
query ...
www.springerlink.com/index/n26l425217l2gm66.pdf

17. **Data** Providers — A Language Experiment *

by J Pfaltz - 2000 - Related articles
A persistent myth is that database systems must be **data storage**
systems. ...
www.springerlink.com/index/y0m33v125ncgyycr.pdf - Similar

⊞Show more results from springerlink.com

18. **LDAP**: Framework, Practices, and Trends

by V Koutsonikola - 2004 - Cited by 36 - Related articles
LDAP queries can also vary according to the DIT level at which ...
objects by defining new **LDAP** object classes (to which XML nodes,
elements, and **attributes** will be mapped). .... **LDAP data**
management, particularly **storage** and retrieval, could improve ...
She is a member of the IEEE Computer Society and the **ACM**. ...
doi.ieeecomputersociety.org/10.1109/MIC.2004.44

19. **Filter** Based Directory Replication: Algorithms and Performance

by A Kumar - 2005 - Cited by 1 - Related articles
differences in **data** models and query languages of .... directory
content and ...
doi.ieeecomputersociety.org/10.1109/ICDCS.2005.36

⊞Show more results from ieeecomputersociety.org

20. [PDF] Implementing **LDAP** Directory Hierarchy with Relations

File Format: PDF/Adobe Acrobat

relational database as a robust, scaleable **data store** for ... **queries** to get desired information from the backing store. .... locate the entry EIDs which match the **filter expression** and .... text **format** of the form "**attribute**: value" as in the .... For **attributes** supporting ordering, **LDAP filter** provides ...

dspace.lib.fcu.edu.tw/bitstream/2377/2108/1/ce07ics001998000152. pdf

21. [PDF] Edge Caching for Directory Based Web Applications: Algorithms and ...

File Format: PDF/Adobe Acrobat - Quick View

by A Kumar - Cited by 2 - Related articles

An **LDAP query filter** F1 is semantically contained in another query **filter** F2 if and only if the **expression** ... range for at least one of the **attributes** appearing in it. .... caching reduces the meta **data** to be maintained for ..... Web Servers", **ACM** SIGMOD Workshop on the Web and. Databases, WebDB 2000. ...

2003.iwcw.org/papers/gupta.pdf

22. [PDF] Overview of Existing XML **Storage** Techniques

File Format: PDF/Adobe Acrobat - Quick View

by S Amer-Yahia - Cited by 11 - Related articles

XML is the standard **format** for exchanging **data** between ..... relational, object and **LDAP** systems) to **store** XML **data** ... horizontally **partitioning** theEdgerelation on thename **attribute**. .... **LDAP query** language is a subset of XPath since it follows .... Users must write XPath **expressions** to specify XML ...

168.188.128.62/.../Overview%20of%20Existing%20XML%20Storage %20Techniques.pdf

23. [PDF] Efficiency Support for SMI-S with XML Database Ze Deng 1), Zhan ...

File Format: PDF/Adobe Acrobat - Quick View

by Z Deng - Cited by 2 - Related articles

1 Key Laboratory of **Data Storage** System, Ministry of Education, School of Computer, ... found, it then **queries** XML database. Since almost all XML databases use XPath [9] as **query** ... type> as one XML **attribute** to facilitate XPath **expression**. ... Input: Service Type , ST, and ldap Filter e**xpression** , ldapFilter ...

repository.gunadarma.ac.id:8000/iiWAS2007(287-297)_88.pdf

24. Adirectory service is a searchable database

by V Koutsonikola - 2004 - Cited by 36 - Related articles

for example, a typical **LDAP** entry might contain **attributes** such as the mailLocalAddress, ... tory, and the data-representation **format**, which is based on XML. **LDAP** Directory .... eral existing proposals for effective XML **data stor**- ... rithm that transforms any XPath **query** into a series of **LDAP queries** that achieve ...
ieeexplore.ieee.org/iel5/4236/29479/01336746.pdf?... - Similar

25. Managing corba objects with dynamic behavior in a directory ...

by T Delot - 2002 - Cited by 1 - Related articles

In the following we present how **LDAP queries** are query-
expression = base ...
ieeexplore.ieee.org/iel5/7570/20623/00954076.pdf?
arnumber=954076

⊞Show more results from ieee.org

26. Patents related to: RFC-Surf.com: 1564 - DSA Metrics (OSI-DS 34 (v3))

An **attribute** syntax for a distinguished name (DN) which is a reference is d. ..... The method begins by parsing an **LDAP filter**-based **query** for elements and logical .... 6343287: External **data store** link for a profile service - A profile ..... Won Kim; On Optimizing an SQL-Like Nested **Query**; **ACM** Transactions on ...
www.patentsurf.net/$CROSSREF/RFC-Surf.com/1564 - Cached

27. [PDF] Using **LDAP** from Java+Tomcat and Python+Zope

File Format: PDF/Adobe Acrobat - Quick View
by H Blasum - 2003 - Related articles
for the replication of directory **data**, **LDAP** is now provided as an .... for the transcontinental **LDAP query**). The interfaces of JLDAP and .... **store format**, that is then read in RegisterSSL.java by a call to java.security. ... **attribute** member, in version 8.6.2 it was uniqueMember (both are RFC 2256 compati- ...
www.guug.de/veranstaltungen/.../ffg2003-blasum-en.pdf - Similar

28. Subscriber **data** management in IMS networks

by DF Lieuwen - 2006 - Cited by 9 - Related articles

Filter: (objectclass=SERVICE_PROFILE). **Attribute**: CFUactstate. Direct entity. Fused entity .... events published by the local **data store**. It analyzes the ... **format** (e.g., **LDAP** or SQL) of the data sources and routes the **query** to the data sources. ..... member of the IEEE and **ACM**, and holds four patents. ... onlinelibrary.wiley.com/doi/10.1002/bltj.20134/pdf

29. [PS] <u>On Processing XML in **LDAP**</u>

File Format: Adobe PostScript - View as HTML

the internal **storage** model is de ned in terms. of **LDAP** classes and ... cess; and (3) allow for e cient **query** process-. ing, **partitioning** and forwarding. .... 2.2 **Query** Representation. In addition to providing a **data** representation .... a tree containing element, **attribute** and text. nodes. An XPath **Query** Q X is ... www.in**format**ik.uni-freiburg.de/~dbis/Publications/.../VLDB2001.ps

30. [PDF] <u>Pedro Jos e Marr on and Georg Lausen Institut f ur Informatik ...</u>

File Format: PDF/Adobe Acrobat - Quick View

storage model is defined in terms of **LDAP** classes and **attributes**, as ...
www.in**format**ik.uni-freiburg.de/~dbis/.../TR147-HLCaches.pdf

⊞Show more results from uni-freiburg.de

31. <u>Migrating from Site Server to Commerce Server 2000</u>

Save your Web site usage logs in World Wide Web Consortium (W3C) **format** and ... Active Channel Multicaster/Active Channel Server (**ACM**/ACS), No equivalent functionality. ..... You **store** the remaining **attributes** in a SQL Server database. **LDAP** .... Migrate ad **data**; Migrate ad schedules; Change ad tags to **expressions** ...
msdn.microsoft.com/en-us/.../ee824045(CS.10).aspx
- Cached - Similar

32. [PDF] <u>An Introduction to the e-XML **Data** Integration Suite</u>

File Format: PDF/Adobe Acrobat - Quick View

by G Gardarin - Cited by 21 - Related articles
different **data formats** can be integrated and multiple client tools can be .... The Repository **storage** module performs the mapping of XML documents either into ... regular path **expressions**, users can **query** the database without the full .... There exists an XML standard (DTD and schema) for **LDAP** entries, called ...

www.cs.cmu.edu/~tomasic/doc/.../
GardarinMenschTomasicEDBT2002.pdf

33. [PDF] Grid computing and bioinformatics development. A case study on the ...

File Format: PDF/Adobe Acrobat - Quick View
by W Rungsarityotin - 2002 - Cited by 3 - Related articles
data structures, display of content, and format of the query
language, ... protocol, called LDAP. This catalog stores storage
system information such as .... of gene expression, and interactions
with at least two or more proteins. ... data attributes and its
computation methods. The attribute part is the ...
old.iupac.org/publications/pac/2002/pdf/7406x0891.pdf

34. [PDF] Implementation of PIS

File Format: PDF/Adobe Acrobat - Quick View
by P Thomas - 2007 - Cited by 2 - Related articles
Filters are responsible for parsing documents of various formats ....
per-query data. (A separate ServerSelect instance is used for each
panel. .... to search an LDAP directory [Zeilenga, 2006]. It returns
results of type LDAPResult, ... generated automatically from these
attributes unless it is separately defined. ...
cs.anu.edu.au/techreports/2008/TR-CS-08-02.pdf

35. [PDF] A Reliable, Scalable General-purpose Certificate Store 1.
Introduction

File Format: PDF/Adobe Acrobat - Quick View
to above, and leads to problems both for humans (LDAP queries are
specified ... product A may use a particular attribute which isn't
supported by product B). ... to the format of the data it is storing.
That is, the certificates being ..... expressions with OR or the use of
subqueries may cause the RDBMS to avoid ...
www.cypherpunks.to/~peter/09a_cert_store.pdf - Similar

36. 6.4 Building a Spam-Checking Gateway

In that format, %b expands to a digest of the message body, %i
expands to the ..... For each preference for which amavisd can
perform an LDAP query, ... the result attribute to be returned from
the LDAP database to amavisd. .... With SpamAssassin 3.0, you
could also store per-user Bayesian data in an SQL database. ...

book.opensourceproject.org.cn/.../spamassassin-chp-6-sect-4.html
- Cached

37. Craig Lee Burket's resume

Oct 7, 2010 ... Directory Services Tools: Novell eDirectory, Novell
DirXML, **LDAP** ... Wrote a SQL stored procedure that **queries**
Stellent Content Tracker **data** in order to extract ..... to Content
Server and (2) specific **LDAP** user **attributes** are mapped .... using a
ClearCase repository to **store**, label and track **filter** ...
www.burket.net/craig/resume.htm - Cached

38. Open and Novel Issues in XML Database Applications: Future ...

Jagadish et al. For example. **Data** and application evolution systems.
ACM. .... The key idea in this implementation is to allow the client to
partition its **data** across ...... K. used to search **LDAP** directory **data**.
In this chapter. ..... see the XQuery **expression** in Example 2 and its
abstract syntax tree in Figure 2. ...
www.scribd.com/.../Open-and-Novel-Issues-in-XML-**Data**base-
Applications-Future-Directions-and-Advanced-Technologies

39. [PDF] Everything is a virtual filesystem: libferris

File Format: PDF/Adobe Acrobat - Quick View
by B Martin - Cited by 2 - Related articles
cific image file **format**. A transducer to extract some ... ther **storing**
attributes on disk or by creating synthetic .... dropped in favor of
regular **expression** matching using ... the **LDAP data** model have
been removed. The opera- .... "eaquery://**filter**-shortnames-10/
(mtime>=blast week)". Figure 6: **Query** results as a ...
www.kernel.org/doc/ols/2007/ols2007v1-pages-303-314.pdf

40. [PS] Revisiting the Hierarchical **Data** Model

File Format: Adobe PostScript - View as HTML
archically organized **data**, and using the subtree scope. We
represent an **LDAP query** using the syntax: base object DN ?
scope ? **filter**. A query returns a ...
www2.research.att.com/~divesh/papers/jls99-rev-hier.ps

41. RFC 2703 - Protocol-independent Content Negotiation Framework

For example, an **LDAP attribute** type for a media feature set. ...
There is also an issue of round-trip or third-party **query** delays

while ... in the most useful **data format** being delivered to its
intended recipient, ... Phone: +44 1491 641 641 +44 118 930 1300
Fax: +44 1491 641 611 +44 118 930 1301 EMail: GK@**ACM**. ...
tools.ietf.org/html/rfc2703 - Cached - Similar

42. SpamAssassin/Integrating SpamAssassinwith Postfix - WikiContent

Mar 7, 2008 ... Messages that pass the **filter** are reinjected so that
Postfix can ...... the result **attribute** to be returned from the **LDAP**
database to amavisd. Parameters left undefined will prevent **LDAP**
queries from being .... With SpamAssassin 3.0, you could also **store**
per-user Bayesian **data** in an SQL database. ...
commons.oreilly.com/wiki/.../Integrating_SpamAssassinwith_Postfix
- Cached

43. [PDF] Microsoft PowerPoint - lezione10-uml

File Format: PDF/Adobe Acrobat - Quick View
by S Andreozzi - Related articles
Available **data** access protocols (e.g., gridftp, rfio) ... **Expressing**
relationships among. Computing and **Storage** Services ... For inputs
in an **ldap query** (beside the URL and Auth): ●. Base dn, Scope,
Filter, Attributes. ● O ther **LDAP** Brow sers: ... Perspective, **ACM**
SIGM OD '98, Seattle, W A, USA ...
www.cnaf.infn.it/~ferrari/seminari/griglie05/lezione10-uml.pdf

44. [PDF] Scalable Computing: Practice and Experience Volume 6,
Number 1, pp ...

File Format: PDF/Adobe Acrobat - Quick View
by W HOSCHEK - Related articles
That is, query output **format** and publication input **format** are the
same (see ..... The Service Location Protocol (SLP) [35] uses
multicast, softstate and simple **filter expressions** to advertize and
query the location, type and **attributes** of services. ... **LDAP** does
not follow an XML **data** model. An **LDAP query** is an ex- ...
www.scpe.org/vols/vol06/SCPE_6_1_01.pdf

45. RFC2703 - Protocol-independent Content Negotiation Framework

Negotiation (See: content negotiation) Negotiable resource A **data** ...
of a **data format** which the sender can provide and the recipient can
process. .... For example, an **LDAP attribute** type for a media
feature set. .... Phone: +44 1491 641 641 +44 118 930 1300 Fax:

+44 1491 641 611 +44 118 930 1301 EMail: GK@**ACM**. ...
www.faqs.org/rfcs/rfc2703.html - Cached - Similar

46. [PDF] Querying Distributed RDF **Data** Sources with SPARQL

File Format: PDF/Adobe Acrobat - Quick View
by B Quilitz - Cited by 69 - Related articles
This constraint is a regular SPARQL **filter expression** that en- ...
stores data about specific types of resources. We denote the
constraint as func- tion r(subject, object) with r ... Another example is
a wrapper for an **LDAP** server may .... Listing 1.1 shows a **query**
with a conjunctive **filter** on two **attributes**. ...
www.eswc2008.org/final-pdfs-for-web-site/qpll-2.pdf - Similar

47. Semantic Cache Mechanism for Heterogeneous Web Querying

by B Chidlovskii - Cited by 55 - Related articles
Mar 5, 1999 ... The query keywords are applied to the **attribute** Title
and chosen randomly ... 5 shows all three measures for both query
sets against the **ACM** server. ... whether a conjunctive **LDAP query**
can be answered using cached queries. ... powerful query language
which includes complete boolean **expressions**, ...
www8.org/w8-papers/3a...**query**/.../semantic.html - Cached - Similar

48. [PDF] Directories are special-purpose databases, usu-

File Format: PDF/Adobe Acrobat - Quick View
by SSB Shi - 2000 - Cited by 19 - Related articles
DB2 as the **LDAP data store**. One advantage is being a highly
scalable **data store**. .... The search **filter** is a Boolean **expression**
that consists of **attribute** ...
ftp://ftp.uni-duisburg.de/LDAP/docs/shi.pdf

49. Serving Scientific **Data** over the Web - The IEEE Computer Society

by R Drach
Typically, a Web site must either **store** HTML files to be returned on
request or .... Also, **LDAP** is oriented toward applications where **data**
is read much more ... other binary-**data** objects, although the **LDAP**
query language is oriented toward textual search. ... A special
attribute objectClass defines the entry type. ...
www.computer.org/portal/web/csdl/abs/html/mags/cs/.../c6014.htm
- Cached

50. [PDF] Contents

File Format: PDF/Adobe Acrobat - Quick View
by G von Laszewski - 2000 - Cited by 363 - Related articles
The Portability: Besides the unified **data format** Java's bytecode ...
vance reservation mechanisms in a supercomputer scheduler or
storage system, or quality- ..... formed, the second parameter
specifies the **LDAP query**, and the third ... The search string can be
specified, and **attributes** can be selected easily to ...
www.globus.org/alliance/.../vonLaszewski--cog-cpe-final.pdf

51. RQL: A Declarative **Query** Language for RDF

by VV FORTH - Related articles
Multi-valued **attributes** can always be represented in a pure
relational schema ... The average space required to **store** a **data**
triple is 0.123KB. .... On bounding-schemas for **LDAP** directories. In
Proceedings of the ... Evaluating **Queries** with Generalized Path
Expressions. In Proc. of **ACM** SIGMOD, pages 413--422, 1996. ...
139.91.183.30:9090/RDF/.../www2002.html - Cached - Similar

52. [PDF] pdf - Contents

File Format: PDF/Adobe Acrobat - Quick View
by G von Laszewski - 2000 - Cited by 363 - Related articles
vance reservation mechanisms in a supercomputer scheduler or
storage system, ... a well-known **format** for storing three-
dimensional climate-related **data**. ..... formed, the second parameter
specifies the **LDAP query**, and the third ... The search string can be
specified, and **attributes** can be selected easily to ...
www.mcs.anl.gov/uploads/cels/papers/P862.pdf

53. [PDF] Using Semantic Information to Improve Transparent **Query**
Caching ...

File Format: PDF/Adobe Acrobat - Quick View
by G Soundararajan - Cited by 4 - Related articles
to the database and **formats** the results as an HTML page. .....
Partitioning a select query could lead to O(2n) parti- ... **filters** out
any rows that are not necessary to satisfy the cur- ..... cies between
HTML pages or fragments and database **data** ... how to reuse results
from existing **LDAP queries** to answer ...
www.eecg.toronto.edu/~amza/papers/deec.pdf

54. **[PDF]** The BRICKS Infrastructure - An Overview

File Format: PDF/Adobe Acrobat - Quick View
by T Risse - Cited by 10 - Related articles
Within BRICKS we design and implement a decentralized/P2P
datastore that manages ... This also implies a very strict mapping to
an XML **format** representa- .... it is possible to **query** for classes,
attributes, etc. defined in the schema. .... Other standards used
include HTTPS, x509 [21] certificates, **LDAP** (to access ...
www.l3s.de/~risse/pub/eva2005.pdf - Similar

55. Descriptive Naming of Context **Data** Providers

by NH Cohen - 2005 - Cited by 12 - Related articles
combinations of arbitrary tests on **data**-source **attributes**, yielding
expressive ..... CxS provider **query** is a boolean XQuery
expression. ... **attributes** to be tested by an arbitrary boolean
search **filter**. However, an **LDAP** direc- .... Proceedings of the **ACM**
SIGMOD International Conference on Man- agement of **Data** ...
domino.research.ibm.com/comm/research.../Context-05.pdf

56. Metis: A Thin-Client Application Framework

by DJ Zukowski - Cited by 4 - Related articles
requires printing and **data-storage** services, and a .... composed of a
boolean **expression** of attribute value .... the service, and a special
Filter object. Passing the .... to happen is if there is a network
partition that ... Server acts an **LDAP** client. It constructs an **LDAP**
query, and submits the **query** to an **LDAP** ...
www.usenix.org/publications/library/.../coots97/.../zukowski.pdf

57. **[PDF]** Day 1- Lecture Topic : C-DAC's Technology Training
Programme on

File Format: PDF/Adobe Acrobat
Determine what computers and what **data storage** devices are in the
grid and the ..... grid-info-host-search -p port hostname "**LDAP**
filter" ... The -x is for anonymous **queries**. The host and port are
determined by .... issue on "Blue print for the future of High
Performance Networking, Communications of the **ACM** ...
www.cdac.in/html/.../gripsi-2007-day01-globus-commands.pdf

58. CHANGES_2.3 - Atlantic Metro Communications - File Mirror

[Eric Covener] *) mod_authnz_ldap: Publish requested **LDAP data** with an AUTHORIZE_ ... Can be used to turn an output **filter** into a web service. .... generalise the envclause to support **expression** evaluation with ap_expr parser [Nick .... [Joe Orton] *) Remove the obsolete serial **attribute** from the RPM spec file. ... mirror.atlanticmetro.net/apache/httpd/CHANGES_2.3 - Cached

59. Rimon Barr: Research

These **attributes**, the last one in particular, highlight an important distinction between ... MagnetOS automatically and transparently **partitions** applications into ... Efficiently publishing relational **data** as XML documents. ... My task was to create a module which allows WebSQL to **query** over **LDAP** directory sources. ... rimonbarr.com/research.html - Cached

60. [PDF] Multi-set DHT for range **queries** on dynamic **data** for Grid ...

File Format: PDF/Adobe Acrobat - Quick View
by G Da Costa - Cited by 1 - Related articles
quite generic as it is possible to translate basic **LDAP** or XPath **queries** (used by Globus ... tributed **store** of **attribute** values (keys) and pointers to grid nodes ..... In particular, since our proposal requires to **partition** all the ... In SPAA '04: Proceedings of the sixteenth annual **ACM** Symposium on Parallelism in ... ftp://ftp.irit.fr/IRIT/ASTRE/Globe08.pdf

61. Design and implementation of security in a **data** collection system ...

by J Ainsworth - 2006 - Cited by 2 - Related articles
data collection. Such a system is required to **store** personal, ... **query** class may only **query data** about themselves and their privileges, and request ... a password can be used to bind to the **LDAP** directory. The **attribute** authority stores .... In Proceedings of the Seventh **ACM** Symposium on Access Control Models and ... iospress.metapress.com/index/3GANKXE897175QQ1.pdf

62. Title Index

... 10th **ACM** Conference on Hypertext · 10th **ACM** International Workshop on Web Information and **Data** Management ..... Binary XML **Storage** and **Query** Processing in Oracle 11g .... Collective **Attributes** in the Lightweight Directory Access Protocol (**LDAP**) .... DEFLATE Compressed **Data Format** Specification version 1.3 ...

dret.net/biblio/titles - Similar

63. [PDF] Federated Desktop and File Server Search with libferris

File Format: PDF/Adobe Acrobat - Quick View

by B Martin - Cited by 1 - Related articles

Aug 27, 2007 ... Redland (RDF), Xapian, Beagle, Yahoo, **LDAP**, CLucene, Lucene and ... Having two index plugin types allows the index plugin to organize **data** on disk to best ... The metadata **query** **format** reserves any metadata names starting with .... to use in **queries** is not listed in **attributes**-not-to-index and will ...
www.ee.ryerson.ca/~courses/coe518/.../elj2006-152-libferris.pdf

64. [PDF] Querying Distributed RDF **Data** Sources with SPARQL

File Format: PDF/Adobe Acrobat - Quick View

by B Quilitz - Cited by 72 - Related articles

This constraint is a regular SPARQL **filter expression** that en- ... **stores data** about specific types of resources. We denote the constraint as func- tion r(subject, object) with ... To come back to the example of the **LDAP** server, the service .... Listing 1.1 shows a **query** with a conjunctive **filter** on two **attributes**. ...
www.ki.informatik.hu-berlin.de/wbi/research/.../DARQ-FINAL.pdf

65. [PDF] The necessity of semantic technologies in grid discovery

File Format: PDF/Adobe Acrobat - Quick View

by S Pastore - 2008 - Cited by 1 - Related articles

and **storage** capabilities) that are the basis of computing ... because of the need to **filter** out services suitable to the .... application is thus a Subcluster's **attribute**, while the ... state, the **format** of response **data** (schema-like) and how ..... on the **LDAP query** model [16] by searching information ...
ojs.academypublisher.com/index.php/jnw/article/viewFile/.../723

66. [PS] Download - CMIS-L : a **query** language for telecommunication ...

File Format: Adobe PostScript - View as HTML

by B Finance - Cited by 3 - Related articles

depending of the model (e.g. use of scoping and **filtering** **expressions** to designate ... geographical **attribute** in his distinguished name. The full DN **format** is ... **LDAP** network directories have recently proliferated with the growth of the ...... [21]

Buneman P., "Semi-structured **data**", In Proceeding of the 16th
ACM ...
www.prism.uvsq.fr/rapports/1999/document_1999_5.ps

67. Integrated Kerberos-OpenLDAP-OpenAFS provider

Jul 28, 2010 ... In this example, the search pattern matches all
GSSAPI-**format** names ... First try a simple unauthenticated (-x)
LDAP query: ... COM SASL SSF: 56 SASL **data** security layer
installed. modifying entry "cn=admin,dc=example,dc=com" ~#_ .....
fs mkm /afs/example.com/.root.afs/**acm**.uiuc.edu root.cell -cell ...
www.rjsystems.nl/.../2100-kerberos-open**ldap**-openafs-provider.php
- Cached

68. [PDF] Ecce – A Problem Solving Environment's evolution toward a
Web ...

File Format: PDF/Adobe Acrobat - Quick View
by K Schuchardt - Cited by 34 - Related articles
generate new data **attributes** and relations, as needed. ... **data
store** where these schemas can evolve without changes to the
data .... approach is to accept a single **query** syntax through the IS
interface and translate the **query expression** to ... The second
approach is to accept any standard **query** syntax (e.g., LDAP, ...
ecce.pnl.gov/docs/publications/ecce_evolution.pdf.gz

69. An ActOn-based semantic information service for Grids - Elsevier

by W Xing - 2010 - Cited by 3 - Related articles
For instance, the usage level of a CPU, **storage** space, and
network .... Directory Access Protocol) **data** model in LDIF **format**
and uploaded into **LDAP**-based servers of ..... **LDAP**-based **queries**
are string-based, and hence they cannot be used to .... of the **ACM**
SIGMOD International Conference on Management of **Data**, vol. ...
linkinghub.elsevier.com/retrieve/pii/S0167739X09001538 - Similar

70. [PDF] An ActOn-based Semantic Information Service for EGEE

File Format: PDF/Adobe Acrobat - Quick View
by W Xing - Cited by 4 - Related articles
... 35000 CPUs, 13 Petabytes of **storage** space in hundreds of
storage elements, and an average of 40000 .... MDS is that it is
based on the **LDAP data** model, which is too ... **expression** and
query. RGMA [6] is a framework that combines monitoring and .....

(**filter**) those results on the client side. RGMA and the ActOn- ...
www.cs.ucy.ac.cy/~mdd/publ/Grid2007.pdf

71. [PDF] IDfusion An Open-Architecture for Kerberos based Authorization

File Format: PDF/Adobe Acrobat - Quick View
by GH Wettstein - 2006 - Related articles
The **format** and specification of this field was de- ... secrets in a
common **data-store**. While ease of manage- ... This paper proposes
partitioning authorization into two separate components. .... can be
further **queried** to determine whether or not autho- .... ing the
identities and any related **attributes** into an **LDAP** ...
workshop.openafs.org/afsbpw06/talks/wettstein-authimp.pdf

72. [PDF] Ontology-Based Querying of Linked XML Documents

File Format: PDF/Adobe Acrobat - Quick View
by L Ahmedi - Cited by 9 - Related articles
3 in 1997 [35], the use of lightweight directories to **store** a variety of
information has been .... **expression** is a boolean combination of
atomic **filters** of the ... defines the set of **attributes** to be returned by
the query. ..... relevant **data** from the related XML documents. 6.1
XPath into **LDAP Query** Translation ...
semanticweb2002.aifb.uni-karlsruhe.de/proceedings/Research/
ahmedi.pdf

73. [PDF] [inria-00436280, v1] Ontological Configuration Management for ...

File Format: PDF/Adobe Acrobat - Quick View
by I Díaz - 2009 - Cited by 4 - Related articles
Nov 26, 2009 ... **LDAP storage** of miniCIM **data** is handled with.
XSLT stylesheets that transform XML to and from **LDAP format**
according to .... name, type and value are codified as an XML
element **attribute**, ... as boolean values that control the **expression**
of others. ..... **Query** answering for OWL-DL with rules. In ...
hal.inria.fr/docs/00/43/62/80/PDF/ipom2009.pdf

74. [PDF] 3010486 GI-Proceedings Cover

File Format: PDF/Adobe Acrobat - Quick View
by W Zhou - Cited by 1 - Related articles
attributes. 4. **attributes query**. 6. **attributes**. 8. decision

response ... may need different input **data format**. The root policy request context is a **data** ... Each domain is specified as a collection of **LDAP** sub-trees, ... standard for role-based access control", **ACM** Transactions on Information and System ...

subs.emis.de/LNI/Proceedings/Proceedings117/gi-proc-117-001.pdf

75. [PDF] Role Based Access Right Specification for Secure Information ...

File Format: PDF/Adobe Acrobat - Quick View
by G Godavari - Related articles
untamperable **format**. IETF has proposed **Attribute** Certificates (AC) as a solution to **store a** .... **expression** which when evaluated to TRUE, consequence is evaluated. ... For example, results of a **query** to a database table depends not only on the number of ... corresponding PKIs are all stored in **LDAP** servers [8]. ...

cs.uccs.edu/~infoshare/doc/ccct05/cs691_report.pdf

76. [PDF] Towards A RFID-Oriented Service Location System

File Format: PDF/Adobe Acrobat
by B Jin - Related articles
to RFID electrical codes and other product **attributes**, for instance, ... XML-fashion services and service **query** for the **LDAP** model in **query** performance. .... Service information and service provider **data** are stored in overlay in a ..... of an Intentional Naming System, 17th **ACM** Symposium on Operating System ...

autoid.mit.edu/.../Jin%20-%20Service%20CatalogNet%20A%
20RFID-Oriented%20Service%20LocationSystem-v3.2.pdf

77. CiteULike: Vertical **partitioning** algorithms for database design

by S Navathe - 1984 - Cited by 226 - Related articles
ACM Trans. Database Syst., Vol. 9, No. 4. (December 1984), pp. 680-710. This paper addresses the vertical **partitioning** of a set of logical ... **partitioning** is to produce fragments, groups of **attribute** columns, ... Delicious, Export in **format** suitable for direct import into delicious.com. .... distributed-**storage**, 2 ...

www.citeulike.org/user/mogwaing/article/2963725 - Cached

78. [PDF] Ontological Configuration Management for Wireless Mesh Routers

File Format: PDF/Adobe Acrobat - Quick View

by I Diaz - Cited by 4 - Related articles

these **data** in **LDAP** directories and generate user interfaces via XForms. OWL ... XSLT stylesheets that transform XML to and from **LDAP format** according to ..... for associations to house possible association **attributes**. .... supports the complete **expression** of this configuration, taking special care to **store format** ...
www.des.udc.es/~juan/papers/ipom2009.pdf

79. [DOC] European **Data** Grid : middle life project overview and testbed ...

File Format: Microsoft Word - View as HTML
by F Gagliardi - Cited by 35 - Related articles
Each VO has an authorisation server (using **LDAP** technology) to define its members, ... GDMP allows mirroring of uncatalogued user **data** between **Storage** Elements. .... advance reservation of resources, job **partitioning** and checkpointing. ..... IEEE/**ACM** International Workshop on Grid Computing Grid'2000 – 17-20 ... hep-proj-grid-tutorials.web.cern.ch/hep-proj.../Perf2002Paper.doc

80. [PDF] Processing Semantic Web **Queries** in Grid

File Format: PDF/Adobe Acrobat - Quick View
by M Niinimäki - Cited by 2 - Related articles
tation **formats**, including an **LDAP** schema and a relational database schema. .... **query** engine (see [14]) to evaluate RDQL **expressions**. The **data** sources are sim- ... tries in the original RDF **storage** that represent trade originating from a European ..... In Proceedings of the 5th **ACM** international workshop on. **Data** ... gridblocks.hip.fi/.../ NiinimakiNiemi_ProcessingSemanticWeb**Queries**InGrid_preprint.pdf

81. RQL: A Declarative **Query** Language for RDF

by VV FORTH - Related articles
This table has two **attributes**, namely uri and classid, for storing the uri's ... The average space required to **store** a **data** triple is 0.123KB. .... On bounding-schemas for **LDAP** directories. In Proceedings of the ... Evaluating **Queries** with Generalized Path **Expressions**. In Proc. of **ACM** SIGMOD, pages 413–422, 1996. ... www2002.org/CDROM/refereed/329/ - Cached - Similar

82. [PDF] Making XPath Reach for the Web-Wide Links

File Format: PDF/Adobe Acrobat - Quick View

by L Ahmedi - 2005 - Cited by 2 - Related articles

internal **LDAP data** representation and **query** model used ... **store** a variety of information has been steadily gaining mo- ... **attribute**. The value of[º ΩBæd¨must be aGø RI reference as de- ... the base should be considered by the **filter expression**. The ...... in order to coexist as an ultimate **data format** in a World ...

https://mailserver.di.unipi.it/ricerca/proceedings/.../T30P17.pdf

83. BABEL: A Glossary of Computer Related Abbreviations and Acronyms

D/A Digital to Analog DAA Data Access Arrangement + Decimal Adjust for Addition ... Service [AT&T] + Design Data Sheet + Digital **Data Storage** + Distributed .... ERA Extended Registry **Attributes** ERAS Electronic Routing and Approval System ..... Logical Device Address **LDAP** Lightweight Directory Access Protocol [IBM] ...

www.cs.tut.fi/tlt/stuff/misc/babel.html - Cached - Similar

84. [PDF] **Storage** and Querying of E-Commerce **Data**

File Format: PDF/Adobe Acrobat - Quick View

by R Agrawal - Cited by 134 - Related articles

per include stores for XML [7], RDF [1], KBMS [15], **LDAP** [19] .... the option of **storing** table **data** on a per **attribute** basis. This rep- ... discuss rewriting of the **queries** from the horizontal **format** to ver- tical **format**. ... **expression** as shown below. ...... In SIGMOD 1998, Proceedings **ACM** SIGMOD International ...

www.dia.uniroma3.it/~vldbproc/019_149.pdf

85. Discovery and Its Discontents: Discovery Protocols for Ubiquitous ...

by RE McGrath - Cited by 67 - Related articles

LDAP's query model is adequate for many kinds of discovery protocols. ... as boolean and arithmetic **expressions** with values of CORBA variables. ... This **format** includes service type (such as ` [PRINT]') and **attributes** (such as `color'). ... **filtering** mechanism is far more limited and less powerful than **LDAP** (and ...

historical.ncstrl.org/tr/fulltext/tr/uiuc.../UIUCDCS-R-2000-2154.txt - Cached

86. [PDF] A **Query** Processing Architecture for Sensor Networks

File Format: PDF/Adobe Acrobat - Quick View

by MR Eskicioglu - Related articles

Data Partitioning and Placement: Physical placement ... The **data** management involves **storage**, aggregation, and .... **LDAP** [15] to route **queries** to appropriate site database. .... maintains the necessary information to translate **attribute**- .... **query** for wide area sensor databases," in Proceedings of the 2003 **ACM** ...
cs.acadiau.ca/~shussain/wsn/publications/05-wicon-hussain.pdf

87. [PDF] <u>Project Proposal 590 L – Distributed Component Architecture</u> ...

File Format: PDF/Adobe Acrobat - Quick View
by S Karumanchi - Related articles
is stored in the directory and connected with PCDD using **LDAP** (Lightweight ... relationship is created where a role is a **data attribute** of the user, ... each **query** is an **expression**. This paper talks about **data** centric model, ... In **data** centric model, XML is used as **storage** or interchange **format** for **data** that is ...
s.web.umkc.edu/ssk7bd/Project2.pdf

88. [PDF] <u>On MAS Scalability</u>

File Format: PDF/Adobe Acrobat - Quick View
by N Wijngaards - Cited by 6 - Related articles
Distribution generally involves **partitioning** a (large) set of **data** into parts that .... The canonical example of a wide-area directory service is **LDAP** ... a **query** to a directory service in the form of a boolean **expression** ... In other words, a returned object has its **attribute** values set according to the **query** as ...
www.distributed-systems.net/maarten/**data**/papers/2001.mas-scale.pdf

89. [PDF] <u>NSF Forms</u>

File Format: PDF/Adobe Acrobat - Quick View
by E Signature - Related articles
Such **attributes** and metadata provide means for finding objects .....
An example **LDAP** directory of bio-**data** is available at IUBio (Gilbert, 2002). ... **queries** over distributed collections, is efficient for high volumes of objects by .... related source **data** for gene lookups with gene **expression** and other database ...
marmot.bio.indiana.edu/about/nsf03-iubio-public.pdf

90. [PDF] <u>Self-maintained Folder Hierarchies as Document Repositories</u>

File Format: PDF/Adobe Acrobat - Quick View

by J Eder - Cited by 8 - Related articles

lect where and how to **store** documents. However, it is dif- ...
Documents are structured or semi-structured **data**. Each ... (such as
LDAP), workflow forms, and bibliographic refer- ... **attributes** using
expressions, **queries** or arbitrary function ... folder F, FAbsFilter, is
the conjunction of F's relative **filter** ...
reference.kfupm.edu.sa/.../
selfmaintained_folder_hierarchies_as_doc_108426.pdf

91. [PDF] Design and Implementation of a Composable Reflective
Middleware ...

File Format: PDF/Adobe Acrobat - Quick View

by N Venkatasubramanian - Cited by 45 - Related articles

to reuse cached **LDAP** directory entries for answering **LDAP**
queries. ... Due to our fairly small **data store** and frequency of
updates .... actors in the system and carrying out repeated queries
and **attribute** changes. ..... New Design Techniques", Proceedings
of the 14th **ACM** Symposium on Operating System Principles, ...
www.ics.uci.edu/~dsm/papers/techreport/composetech.pdf

92. Haystack: A Platform for Creating, Organizing and Visualizing ...

by D Huynh - Cited by 126 - Related articles

point in that the system should not **partition** a corpus .... **attributes**
to **store** for particular classes of objects. A good ..... new **data**
entering the system that matches the **query**. For example, agents
can automatically **filter** a user's e-mail ... interface with the file
system and **LDAP** servers. ...
www.aaai.org/Papers/Workshops/2002/WS.../WS02-11-014.pdf

93. [PDF] POILCY2009 - XACML Policy profile for multidomain Network
Resource ...

File Format: PDF/Adobe Acrobat - Quick View

by Y Demchenko - Related articles

attributes format definition and policy identification and ....
examples for the Resource and Subject **attributes expression**. ...
identifier in RFC822 (email) or X.521 (**LDAP** or X.509 ... be used for
further policy selection in the **storage**/repository. ... option, the policy
repository should be capable to **query** ...

staff.science.uva.nl/~demch/papers/policy2009-xacml-nrp-v08.pdf

94. package.xml - ActiveState CPAN PPM Repository

Clayton Donley <donley@wwa.com> mod_perl **LDAP** Access
Control and Authentication ... in a DBI database John D Groenveld
<groenveld@**acm**.org> authenticates and ..... application **data
storage** Burak Gursoy <burak@cpan.org> An application of ....
<cpan@zoffix.com> ZofCMS plugin to fill templates with data from
query, ...
ppm4.activestate.com/MSWin32-x86/5.10/.../package.xml - Similar

95. BABEL: A Glossary of Computer Related Abbreviations and
Acronyms

AU Audio (file name extension) AUDIT Automated Data Input
Terminal AUI ..... + Design Data Sheet + Digital **Data Storage** +
Distributed Database Services DDX ... DQDB Distributed Queue
Dual Bus DQL Data **Query** Language DR Data Received D/R .....
Logical Device Address **LDAP** Lightweight Directory Access Protocol
[IBM] ...
www.comadvantage.com/babel.html - Cached - Similar

96. [PDF] Email addresses are a means to an

File Format: PDF/Adobe Acrobat - Quick View
by M Kassoff - Cited by 4 - Related articles
other descriptive **attribute**. If a person's ... down based on **filtering**
rules, the user starts with an empty ... Directory Access Protocol
(**LDAP**) **query** run when the email is ... 6th Int'l Workshop the Web
and **Data**- bases, **ACM** Press, 2003, pp. 12–13. .... **format** is useful
for sending mail from email ...
logic.stanford.edu/~mkassoff/papers/sea-ieee.pdf

97. [PDF] **ACM** SIGACT News Distributed Computing Column 8
Distributed __

File Format: PDF/Adobe Acrobat - Quick View
by S Rajsbaum - 2002 - Cited by 2 - Related articles
Subscriptions are then defined as predicates over event
attributes. ... periodic **queries** which can be too frequent or too
infrequent, ... (MDS) [27] was initially designed as a centralized way
to obtain Grid information (via an **LDAP** .... peer architectures for
data storage, as a number of such experimental ...

ls4-www.cs.uni-dortmund.de/Lehre/08-40607/p50-casanova.pdf

98. [PDF] Robert Kincaid

File Format: PDF/Adobe Acrobat - Quick View
other measurements and **attributes** including mass spectrometry
results, phenotypes, ... Biomolecule Naming Service: A novel **LDAP**-
based lookup service for ... Responsible for the design and
implementation of the **data storage** subsystem for a next ....
Visualizing **expression** data on chromosomal graphic schemes ...
rkincaid.net/docs/kincaid-cv.pdf - Similar

99. En-Ez

Dec 13, 1999 ... [http://www.**acm**.org/calgo/contents/] ..... Erlang is a
high-level functional language combining **attributes** of .... **storage**
structures, methods of visual presentation, **query** ... support for
LDAP;; a web-based adminstration interface; ..... and a **filter** guide,
each available in PostScript **format**. ...
stommel.tamu.edu/~baum/linuxlist/.../node16.html - Cached - Similar

100. [PDF] Policy Management in a Distributed Computing Environment

File Format: PDF/Adobe Acrobat - Quick View
by R Wakefield - Related articles
common purpose, but have different **expression** or syntax. ....
management tool defines and **stores** the user to ... **LDAP**,
Lightweight Directory Access Protocol, an **attribute**-based database
system used ..... **attribute query** system that allows the
underlying .... **ACM** Transactions on. Information and System
Security, ...
www.cs.colostate.edu/.../
CS556_Policy_Management_in_Distributed_Computing.pdf

Goooogle ▶

1 2 3 4 **Next**

| ACM LDAP filter format | Search |

Search within results Search Help Give us feedback

Google HomeAdvertising ProgramsBusiness SolutionsPrivacyAbout Google